Rogue River Fuels Hazard Reduction Project

Grants Pass Field Office

Silviculture Options

Welcome

Rogue River Fuels Hazard Reduction Project

Galice Community Open House February 18th 2003


Silviculture Goals

- By combining Silviculture and Fuels Treatments
 - Reduce fire hazard and risk.
 - Create a sustainable mosaic of vegetation and fuel types.
 - Protect property.
 - Safeguard the Outstanding Remarkable Values (ORV)
 - Natural Scenic Qualities / Fisheries/ Recreation

Current Vegetation Communities

- Five distinct vegetation communities
 - Mixed Evergreen
 - Oak Woodlands
 - Riparian
 - Serpentine
 - Rock Outcroppings/Cliffs


Plant Series Within The Corridor



Mixed Evergreen

Plant Associations

- Downstream of Roberston Bridge
- Douglas-fir/canyon live oak-poison oak.
- Douglas-fir/black oak-poison oak
- Douglas-fir/tanoak/canyon live oak
- Tanoak/Douglas-fir/canyon live oak
- Upstream of Robertson Bridge
- Douglas-fir/shrub (manazanita,buckbrush)
- Douglas-fir/ponderosa pine-poison oak



Mixed Evergreen

Plant Associations


- Downstream of Roberston Bridge
- Douglas-fir/canyon live oak-poison oak
- Douglas-fir/black oak-poison oak
- Douglas-fir/tanoak/canyon live oak
- Tanoak/Douglas-fir/canyon live oak
- Upstream of Robertson Bridge
- Douglas-fir/shrub (manazanita,buckbrush)
- Douglas-fir/ponderosa pine-poison oak



Mixed Evergreen


Plant Associations

- Downstream of Roberston Bridge
- Douglas-fir/canyon live oak-poison oak
- Douglas-fir/black oak-poison oak
- Douglas-fir/tanoak/canyon live oak
- Tanoak/Douglas-fir/canyon live oak
- Upstream of Robertson Bridge
- Douglas-fir/shrub (manzanita, buckbrush)
- Douglas-fir/ponderosa pine-poison oak




Oak Woodlands

- Transition zones between woodlands and forest
- Characterized by open canopy and grasses
- White Oak/Douglas-firpoison oak
- On wetter sites
- High tree species diversity
- White Oak/hedgehog dogtail
- On drier sites
- Only white oak is in the overstory




Riparian/Hardwoods

- Mixture of native riparian forest, small wetlands, and highly disturbed areas, i.e. old agricultural fields.
- Willows adjacent to the water.
- Large cottonwoods and Oregon Ash dominate the flood plain.
- Alders and bigleaf maple are higher up on the banks
- Large pine and oak occur on the larger flood plains of the river.
- Disturbed areas invaded by blackberry, scotch broom, tansy...
- Drainages entering the Rogue are dominated by Native Riparian Vegetation
- Douglas-fir/bigleaf maple/Oregon Ash




- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Low tree and plant vigor.
- Increased levels of insect and disease activity.
- Increased conifer and oak mortality.



- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Low tree and plant vigor.
- Increased levels of insect and disease activity.
- Increased conifer and oak mortality.




- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Natural species composition is changing.
- Fuel complex is becoming more flammable and increasingly hazardous.



- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Natural species composition is changing.
- Fuel complex is becoming more flammable and increasingly hazardous.



- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Natural species composition is changing.
- Fuel complex is becoming more flammable and increasingly hazardous.



- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Natural species composition is changing.
- Fuel complex is becoming more flammable and increasingly hazardous.
- Fuel condition classes II & III have the potential for large and severe wildfires.



- As a result of fire exclusion, vegetation density has reached levels that are not sustainable over time.
- Natural species composition is changing.
- Fuel complex is becoming more flammable and increasingly hazardous.
- With understory thinning, light removals to manage density and fuel treatments wildfire severity is decreased.



Silviculture & Fuels Options

Potential Sideboards



- VRM 1 Sensitive
 - Seen Area
 - Unseen Area
- Minimize overstory disturbance
- Use existing contract methods




Silviculture & Fuels Options

Potential Sideboards



- Maintain plant series
 within its natural direction
 of succession.
- Minimize the cost of treatments and how often they are done.
- Develop specific px treatments dependent upon neighborhood level plans.



Silviculture Bare Bones Px by Vegetation Communities

- DF/Tanoak & Tanoak/DF
 - Understory Thinning
 - Variable crown thinning by species preference.
 - Spacing increased in unseen VRM
 - Fuels Reduction
 - Lop and scatter
 - Prescribed Underburn



Silviculture Bare Bones Px by Vegetation Communities

Mixed Evergreen

- DF and Pine
 - Understory Thinning
 - Spacing dependent on type of tree present
 - Spacing and diameter increased in unseen VRM
 - Release large Pine & DF
 - Fuels Reduction
 - Handpile & Burn



Before Understory Thinning

Silviculture Bare Bones Px by Vegetation Communities

- DF and Pine
 - Understory Thinning
 - Spacing dependent on type of tree present
 - Spacing and diameter increased in unseen VRM
 - Release large Pine & DF
 - Fuels Reduction
 - Handpile & Burn



After Understory Thinning

Silviculture Bare Bones Px by Vegetation Communities


- DF and Pine
 - Understory Thinning
 - Spacing dependent on type of tree present
 - Spacing and diameter increased in unseen VRM
 - Release large Pine & DF
 - Fuels Reduction
 - Handpile & Burn



Before Understory Thinning

Silviculture Bare Bones Px by Vegetation Communities

- DF and Pine
 - Understory Thinning
 - Spacing dependent on type of tree present
 - Spacing and diameter increased in unseen VRM
 - Release large Pine & DF
 - Fuels Reduction
 - Handpile & Burn



After Understory Thinning

Silviculture Bare Bones Px by Vegetation Communities

- White Oak
 - Understory Thinning
 - DF & shrubs reduced
 - Leave old remnant DF
 - Leave 16 to 35 trees/acre
 - Retain all oaks >6" DBH
 - Fuels Reduction
 - Mechanical
 - Hand pile & Burn
 - Prescribed Underburn



Thinned/Brushed/HP & Burned Chipped

Silviculture Bare Bones Px by Vegetation Communities


- Riparian/Hardwood
 - Understory Thinning
 - Remove vegetation from leave trees for a radius of 15-40 ft.
 - Blackberrys ??
 - Fuels Reduction
 - Mechanical
 - Prescribed Underburn
 - Hand pile & burn




- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
- Specific Px?



- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
- Specific Px?



- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
- Specific Px?



- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
- Specific Px?



- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
 - Potential Methods
- Specific Px?



ATV

Small Diameter Material

- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
 - Potential Methods
- Specific Px?



Chipper
Small Diameter Material

- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
 - Potential Methods
- Specific Px?



Cut To Length

Small Diameter Material

- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
 - Potential Methods
- Specific Px?




Zig Zag Yarder

Small Diameter Material

- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
 - Potential Methods
 - Do you have a preferred method to remove biomass?
- Specific Px?



- How can I be involved?
- Why now?
- Neighborhood plan?
- Forest Product Removal?
- Specific Px?



If you ask a Forester

- Fire is an important shaper of our Forests.
- Fire is a tool with risks.
- Reintroduce cool underburning and low intensity management so structural and composition diversity remain on the site.
- Take your cues from functional ecosystems.
- Reinstate disturbance cycles as nature intended.

If you ask a Forester

- Fire is an important shaper of our Forests.
- Fire is a tool with risks.
- Reintroduce cool underburning and low intensity management so structural and composition diversity remain on the site.
- Take your cues from functional ecosystems.
- Reinstate disturbance cycles as nature intended.

Questions For You!

- Do you have a preferred method to remove biomass?
- Should fuel hazard reduction be conducted in Riparian Areas?
- What treatment methods might best balance VRM-Fuels-Forest Health in your neighborhood?
- As we accomplish fuel reduction what do we need to be concerned about?

Questions For You!

- Do you have a preferred method to remove biomass?
- Should fuel hazard reduction be conducted in Riparian Areas?
- What treatment methods might best balance VRM-Fuels-Forest Health in your neighborhood?
- As we accomplish fuel reduction what do we need to be concerned about?

Rogue River Fuels Hazard Reduction Project

Grants Pass Field Office

Silviculture Options

Thank You



